



Childhood immunisation schedule

Use the checklist below to tick off your child's immunisations as you go. It is also strongly recommended that children from 6 months are immunised against influenza every year.

Age	Disease protected against	
Birth to less than 7 days	<ul style="list-style-type: none"> Hepatitis B (1 injection) 	<input type="checkbox"/>
6 weeks	<ul style="list-style-type: none"> Diphtheria, tetanus, whooping cough, hepatitis B, polio, <i>Haemophilus influenzae</i> type b (1 injection) Pneumococcal (1 injection) Rotavirus (drops in mouth) 	<input type="checkbox"/>
Aboriginal children	<ul style="list-style-type: none"> Meningococcal ACWY (1 injection) 	<input type="checkbox"/>
Aboriginal children and/or children with a medical risk condition	<ul style="list-style-type: none"> Meningococcal B (1 injection) 	<input type="checkbox"/>
4 months	<ul style="list-style-type: none"> Same as 6 weeks 	<input type="checkbox"/>
Aboriginal children	<ul style="list-style-type: none"> Same as 6 weeks 	<input type="checkbox"/>
Aboriginal children and/or children with a medical risk condition	<ul style="list-style-type: none"> Same as 6 weeks 	<input type="checkbox"/>
6 months	<ul style="list-style-type: none"> Diphtheria, tetanus, whooping cough, hepatitis B, polio, <i>Haemophilus influenzae</i> type b (1 injection) 	<input type="checkbox"/>
Aboriginal children and/or children with a medical risk condition	<ul style="list-style-type: none"> Pneumococcal (1 injection) 	<input type="checkbox"/>
Children with a medical risk condition	<ul style="list-style-type: none"> Meningococcal B (1 injection) 	<input type="checkbox"/>
12 months	<ul style="list-style-type: none"> Measles, mumps, rubella (1 injection) Pneumococcal (1 injection) Meningococcal ACWY (1 injection) 	<input type="checkbox"/>
Aboriginal children and/or children with a medical risk condition	<ul style="list-style-type: none"> Meningococcal B (1 injection) 	<input type="checkbox"/>
Children with a medical risk condition	<ul style="list-style-type: none"> Hepatitis B (1 injection) 	<input type="checkbox"/>
18 months	<ul style="list-style-type: none"> Diphtheria, tetanus, whooping cough (1 injection) <i>Haemophilus influenzae</i> type b (1 injection) Measles, mumps, rubella, varicella (1 injection) only for those children who have already received a MMR vaccine previously 	<input type="checkbox"/>
Aboriginal children	<ul style="list-style-type: none"> Hepatitis A (1 injection) 	<input type="checkbox"/>
<2 years Aboriginal children	<ul style="list-style-type: none"> Meningococcal B (catch-up injection) 	<input type="checkbox"/>
4 years	<ul style="list-style-type: none"> Diphtheria, tetanus, whooping cough, polio (1 injection) 	<input type="checkbox"/>
Aboriginal children	<ul style="list-style-type: none"> Hepatitis A (1 injection) Pneumococcal (1 injection) 	<input type="checkbox"/>
Children with a medical risk condition	<ul style="list-style-type: none"> Pneumococcal (additional injections required) 	<input type="checkbox"/>